

Criteria codes and definitions may be obtained directly from the USDA-NRCS Hydric Soils Homepage at <http://www.statlab.iastate.edu/soils/hydric/intro.html>

There may be small areas of included soils or miscellaneous areas that are significant to use and management of the soil; yet are too small to delineate on the soil map at the map's original scale. These may be designated as spot symbols and are described on the conventional and special symbols legend.

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
AdA: ALDINO SILT LOAM, 0 TO 3 PERCENT SLOPES	Aldino	No	---	---	---	---	---
AdB2: ALDINO SILT LOAM, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED	Aldino	No	---	---	---	---	---
AuB2: AURA GRAVELLY SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	Aura	No	---	---	---	---	---
AuC2: AURA GRAVELLY SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	Aura	No	---	---	---	---	---
AvD2: AURA GRAVELLY SANDY LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	Aura	No	---	---	---	---	---
BaA: BAILE SILT LOAM, 0 TO 3 PERCENT SLOPES	Baile	Yes	depression	2B3	YES	NO	NO
BaB: BAILE SILT LOAM, 3 TO 8 PERCENT SLOPES	Baile	Yes	depression	2B3	YES	NO	NO
BcA: BARCLAY SILT LOAM, 0 TO 2 PERCENT SLOPES	Barclay	No	---	---	---	---	---
BcB: BARCLAY SILT LOAM, 2 TO 5 PERCENT SLOPES	Barclay	No	---	---	---	---	---
BeA: BELTSVILLE SILT LOAM, 0 TO 2 PERCENT SLOPES	Beltsville	No	---	---	---	---	---
BeB2: BELTSVILLE SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	Beltsville	No	---	---	---	---	---
BeC2: BELTSVILLE SILT LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	Beltsville	No	---	---	---	---	---
BeC3: BELTSVILLE SILT LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	Beltsville	No	---	---	---	---	---
BuA: BUTLERTOWN SILT LOAM, 0 TO 2 PERCENT SLOPES	Butlertown	No	---	---	---	---	---
BuB2: BUTLERTOWN SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	Butlertown	No	---	---	---	---	---

Hydric Soils List -- continued

Criteria codes and definitions may be obtained directly from the USDA-NRCS Hydric Soils Homepage at <http://www.statlab.iastate.edu/soils/hydric/intro.html>

There may be small areas of included soils or miscellaneous areas that are significant to use and management of the soil; yet are too small to delineate on the soil map at the map's original scale. These may be designated as spot symbols and are described on the conventional and special symbols legend.

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
BuC2: BUTLERTOWN SILT LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	Butlertown	No	---	---	---	---	---
BuC3: BUTLERTOWN SILT LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	Butlertown	No	---	---	---	---	---
BuD2: BUTLERTOWN SILT LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	Butlertown	No	---	---	---	---	---
CeA: CHESTER SILT LOAM, 0 TO 3 PERCENT SLOPES	Chester	No	---	---	---	---	---
CeB2: CHESTER SILT LOAM, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED	Chester	No	---	---	---	---	---
ChB2: CHILLUM SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	Chillum	No	---	---	---	---	---
ChC2: CHILLUM SILT LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	Chillum	No	---	---	---	---	---
ChC3: CHILLUM SILT LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	Chillum	No	---	---	---	---	---
ChD2: CHILLUM SILT LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	Chillum	No	---	---	---	---	---
ChD3: CHILLUM SILT LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	Chillum	No	---	---	---	---	---
ClB2: CHRISTIANA FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	Christiana	No	---	---	---	---	---
CmB2: CHROME SILT LOAM, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED	Chrome	No	---	---	---	---	---
CmC2: CHROME SILT LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	Chrome	No	---	---	---	---	---
CmD2: CHROME SILT LOAM, 15 TO 25 PERCENT SLOPES, MODERATELY ERODED	Chrome	No	---	---	---	---	---
CnD3: CHROME CLAY LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	Chrome	No	---	---	---	---	---

Hydric Soils List -- continued

Criteria codes and definitions may be obtained directly from the USDA-NRCS Hydric Soils Homepage at <http://www.statlab.iastate.edu/soils/hydric/intro.html>

There may be small areas of included soils or miscellaneous areas that are significant to use and management of the soil; yet are too small to delineate on the soil map at the map's original scale. These may be designated as spot symbols and are described on the conventional and special symbols legend.

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
CnE3: CHROME CLAY LOAM, 25 TO 45 PERCENT SLOPES, SEVERELY ERODED	Chrome	No	---	---	---	---	---
Co: COASTAL BEACHES	Coastal Beaches	No	---	---	---	---	---
Cp: CLAY PITS	Clay Pits	No	---	---	---	---	---
Cr: CODORUS SILT LOAM	Codorus	No	---	---	---	---	---
CsB2: COLLINGTON SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	Collington	No	---	---	---	---	---
CsC2: COLLINGTON SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	Collington	No	---	---	---	---	---
CtB2: COLLINGTON LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	Collington	No	---	---	---	---	---
CtC2: COLLINGTON LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	Collington	No	---	---	---	---	---
CtC3: COLLINGTON LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	Collington	No	---	---	---	---	---
CtD2: COLLINGTON LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	Collington	No	---	---	---	---	---
CtD3: COLLINGTON LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	Collington	No	---	---	---	---	---
Cu: COMUS SILT LOAM	Comus	No	---	---	---	---	---
CwC: CONOWINGO SILT LOAM, 3 TO 15 PERCENT SLOPES	Conowingo	No	---	---	---	---	---
ElA: ELKTON LOAM, 0 TO 2 PERCENT SLOPES	Elkton	Yes	flat	2B3,3	YES	NO	YES
	Elkton	Yes	flat	2B3	YES	NO	NO
ElB: ELKTON LOAM, 2 TO 5 PERCENT SLOPES	Elkton	Yes	flat	2B3,3	YES	NO	YES
	Elkton	Yes	flat	2B3	YES	NO	NO
EmA: ELKTON SILT LOAM, 0 TO 2 PERCENT SLOPES	Elkton	Yes	flat	2B3,3	YES	NO	YES

Hydric Soils List -- continued

Criteria codes and definitions may be obtained directly from the USDA-NRCS Hydric Soils Homepage at <http://www.statlab.iastate.edu/soils/hydric/intro.html>

There may be small areas of included soils or miscellaneous areas that are significant to use and management of the soil; yet are too small to delineate on the soil map at the map's original scale. These may be designated as spot symbols and are described on the conventional and special symbols legend.

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
EmB: ELKTON SILT LOAM, 2 TO 5 PERCENT SLOPES	Elkton	Yes	flat	2B3,3	YES	NO	YES
	Elkton	Yes	flat	2B3	YES	NO	NO
EoA: EL SINBORO SILT LOAM, 0 TO 2 PERCENT SLOPES	Elsinboro	No	---	---	---	---	---
EoB2: EL SINBORO SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	Elsinboro	No	---	---	---	---	---
EoC2: EL SINBORO SILT LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	Elsinboro	No	---	---	---	---	---
EvB: EVESBORO LOAMY SAND, 0 TO 5 PERCENT SLOPES	Evesboro	No	---	---	---	---	---
EvD: EVESBORO LOAMY SAND, 5 TO 15 PERCENT SLOPES	Evesboro	No	---	---	---	---	---
EvE: EVESBORO LOAMY SAND, 15 TO 40 PERCENT SLOPES	Evesboro	No	---	---	---	---	---
FaA: FALLSINGTON SANDY LOAM, 0 TO 2 PERCENT SLOPES	Fallsington	Yes	flat	2B3	YES	NO	NO
FaB: FALLSINGTON SANDY LOAM, 2 TO 5 PERCENT SLOPES	Fallsington	Yes	flat	2B3	YES	NO	NO
FaC: FALLSINGTON SANDY LOAM, 5 TO 10 PERCENT SLOPES	Fallsington	Yes	flat	2B3	YES	NO	NO
FmA: FALLSINGTON LOAM, 0 TO 2 PERCENT SLOPES	Fallsington	Yes	flat	2B3	YES	NO	NO
FmB: FALLSINGTON LOAM, 2 TO 5 PERCENT SLOPES	Fallsington	Yes	flat	2B3	YES	NO	NO
GeA: GLENELG SILT LOAM, 0 TO 3 PERCENT SLOPES	Glenelg	No	---	---	---	---	---
GeB2: GLENELG SILT LOAM, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED	Glenelg	No	---	---	---	---	---
GeC2: GLENELG SILT LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	Glenelg	No	---	---	---	---	---
GeC3: GLENELG SILT LOAM, 8 TO 15 PERCENT SLOPES, SEVERELY ERODED	Glenelg	No	---	---	---	---	---

Hydric Soils List -- continued

Criteria codes and definitions may be obtained directly from the USDA-NRCS Hydric Soils Homepage at <http://www.statlab.iastate.edu/soils/hydric/intro.html>

There may be small areas of included soils or miscellaneous areas that are significant to use and management of the soil; yet are too small to delineate on the soil map at the map's original scale. These may be designated as spot symbols and are described on the conventional and special symbols legend.

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
GeD2: GLENELG SILT LOAM, 15 TO 25 PERCENT SLOPES, MODERATELY ERODED	Glenelg	No	---	---	---	---	---
GeD3: GLENELG SILT LOAM, 15 TO 25 PERCENT SLOPES, SEVERELY ERODED	Glenelg	No	---	---	---	---	---
GeE: GLENELG SILT LOAM, 25 TO 45 PERCENT SLOPES	Glenelg	No	---	---	---	---	---
GnA: GLENVILLE SILT LOAM, 0 TO 3 PERCENT SLOPES	Glenville	No	---	---	---	---	---
GnB2: GLENVILLE SILT LOAM, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED	Glenville	No	---	---	---	---	---
GnC2: GLENVILLE SILT LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	Glenville	No	---	---	---	---	---
Gv: GRAVEL AND BORROW PITS	Gravel And Borrow Pi	No	---	---	---	---	---
Ha: HATBORO SILT LOAM	Hatboro	Yes	flood plain	2B3	YES	NO	NO
KeA: KEYPORT LOAM, 0 TO 2 PERCENT SLOPES	Keyport	No	---	---	---	---	---
KeB2: KEYPORT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	Keyport	No	---	---	---	---	---
KeC2: KEYPORT LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	Keyport	No	---	---	---	---	---
KpA: KEYPORT SILT LOAM, 0 TO 2 PERCENT SLOPES	Keyport	No	---	---	---	---	---
KpB2: KEYPORT SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	Keyport	No	---	---	---	---	---
KpC2: KEYPORT SILT LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	Keyport	No	---	---	---	---	---
KpD2: KEYPORT SILT LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	Keyport	No	---	---	---	---	---
KsB3: KEYPORT SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, SEVERELY ERODED	Keyport	No	---	---	---	---	---

Hydric Soils List -- continued

Criteria codes and definitions may be obtained directly from the USDA-NRCS Hydric Soils Homepage at <http://www.statlab.iastate.edu/soils/hydric/intro.html>

There may be small areas of included soils or miscellaneous areas that are significant to use and management of the soil; yet are too small to delineate on the soil map at the map's original scale. These may be designated as spot symbols and are described on the conventional and special symbols legend.

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
KsC3: KEYPORT SILTY CLAY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	Keyport	No	---	---	---	---	---
LeB2: LEGORE SILT LOAM, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED	Legore	No	---	---	---	---	---
LeC2: LEGORE SILT LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	Legore	No	---	---	---	---	---
LeD2: LEGORE SILT LOAM, 15 TO 25 PERCENT SLOPES, MODERATELY ERODED	Legore	No	---	---	---	---	---
LgC3: LEGORE SILTY CLAY LOAM, 8 TO 15 PERCENT SLOPES, SEVERELY ERODED	Legore	No	---	---	---	---	---
LgE3: LEGORE SILTY CLAY LOAM, 15 TO 45 PERCENT SLOPES, SEVERELY ERODED	Legore	No	---	---	---	---	---
LoA: LEONARDTOWN SILT LOAM, 0 TO 2 PERCENT SLOPES	Leonardtown	Yes	flat	2B3	YES	NO	NO
LoB: LEONARDTOWN SILT LOAM, 2 TO 5 PERCENT SLOPES	Leonardtown	Yes	flat	2B3	YES	NO	NO
LyC: LOAMY AND CLAYEY LAND, SLOPING	Loamy And Clayey Lan	No	---	---	---	---	---
LyD: LOAMY AND CLAYEY LAND, MODERATELY STEEP	Loamy And Clayey Lan	No	---	---	---	---	---
LyE: LOAMY AND CLAYEY LAND STEEP	Loamy And Clayey Lan	No	---	---	---	---	---
MaB: MADE LAND, GENTLY SLOPING	Made Land	No	---	---	---	---	---
MaD: MADE LAND, MODERATELY STEEP	Made Land	No	---	---	---	---	---
MlB2: MANOR LOAM, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED	Manor	No	---	---	---	---	---
MlC2: MANOR LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	Manor	No	---	---	---	---	---
MlC3: MANOR LOAM, 8 TO 15 PERCENT SLOPES, SEVERELY ERODED	Manor	No	---	---	---	---	---

Hydric Soils List -- continued

Criteria codes and definitions may be obtained directly from the USDA-NRCS Hydric Soils Homepage at <http://www.statlab.iastate.edu/soils/hydric/intro.html>

There may be small areas of included soils or miscellaneous areas that are significant to use and management of the soil; yet are too small to delineate on the soil map at the map's original scale. These may be designated as spot symbols and are described on the conventional and special symbols legend.

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
M1D2: MANOR LOAM, 15 TO 25 PERCENT SLOPES, MODERATELY ERODED	Manor	No	---	---	---	---	---
M1D3: MANOR LOAM, 15 TO 25 PERCENT SLOPES, SEVERELY ERODED	Manor	No	---	---	---	---	---
M1E: MANOR LOAM, 25 TO 45 PERCENT SLOPES	Manor	No	---	---	---	---	---
MmD: MANOR VERY STONY LOAM, 3 TO 25 PERCENT SLOPES	Manor	No	---	---	---	---	---
MnA: MATAPEAKE SILT LOAM, 0 TO 2 PERCENT SLOPES	Matapeake	No	---	---	---	---	---
MnB2: MATAPEAKE SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	Matapeake	No	---	---	---	---	---
MnC2: MATAPEAKE SILT LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	Matapeake	No	---	---	---	---	---
MnC3: MATAPEAKE SILT LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	Matapeake	No	---	---	---	---	---
MnD2: MATAPEAKE SILT LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	Matapeake	No	---	---	---	---	---
MnD3: MATAPEAKE SILT LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	Matapeake	No	---	---	---	---	---
MoA: MATAPEAKE SILT LOAM, SILTY SUBSTRATUM, 0 TO 2 PERCENT SLOPES	Matapeake	No	---	---	---	---	---
MoB2: MATAPEAKE SILT LOAM, SILTY SUBSTRATUM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	Matapeake	No	---	---	---	---	---
MpA: MATTAPLEX SILT LOAM, 0 TO 2 PERCENT SLOPES	Mattapex	No	---	---	---	---	---
MpB2: MATTAPLEX SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	Mattapex	No	---	---	---	---	---
MpC2: MATTAPLEX SILT LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	Mattapex	No	---	---	---	---	---

Hydric Soils List -- continued

Criteria codes and definitions may be obtained directly from the USDA-NRCS Hydric Soils Homepage at <http://www.statlab.iastate.edu/soils/hydric/intro.html>

There may be small areas of included soils or miscellaneous areas that are significant to use and management of the soil; yet are too small to delineate on the soil map at the map's original scale. These may be designated as spot symbols and are described on the conventional and special symbols legend.

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
Mr: MIXED ALLUVIAL LAND	Mixed Alluvial Land	Yes	flood plain	2B3	YES	NO	NO
MtA: MONTALTO SILT LOAM, 0 TO 3 PERCENT SLOPES	Montalto	No	---	---	---	---	---
MtB2: MONTALTO SILT LOAM, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED	Montalto	No	---	---	---	---	---
MtC2: MONTALTO SILT LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	Montalto	No	---	---	---	---	---
MvD: MONTALTO VERY STONY SILT LOAM, 3 TO 25 PERCENT SLOPES	Montalto	No	---	---	---	---	---
MyC3: MONTALTO SILTY CLAY LOAM, 8 TO 15 PERCENT SLOPES, SEVERELY ERODED	Montalto	No	---	---	---	---	---
MyD3: MONTALTO SILTY CLAY LOAM, 15 TO 25 PERCENT SLOPES, SEVERELY ERODED	Montalto	No	---	---	---	---	---
NeA: NESHAMINY SILT LOAM, 0 TO 3 PERCENT SLOPES	Neshaminy	No	---	---	---	---	---
NeB2: NESHAMINY SILT LOAM 3 TO 8 PERCENT SLOPES, MODERATELY ERODED	Neshaminy	No	---	---	---	---	---
NeC2: NESHAMINY SILT LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	Neshaminy	No	---	---	---	---	---
NeD2: NESHAMINY SILT LOAM, 15 TO 25 PERCENT SLOPES, MODERATELY ERODED	Neshaminy	No	---	---	---	---	---
OhA: OTHELLO SILT LOAM, 0 TO 2 PERCENT SLOPES	Othello	Yes	flat	2B3	YES	NO	NO
OhB: OTHELLO SILT LOAM, 2 TO 5 PERCENT SLOPES	Othello	Yes	flat	2B3	YES	NO	NO
RuB: RUMFORD LOAMY SAND, 2 TO 5 PERCENT SLOPES	Rumford	No	---	---	---	---	---
RuC: RUMFORD LOAMY SAND, 5 TO 10 PERCENT SLOPES	Rumford	No	---	---	---	---	---
RuD: RUMFORD LOAMY SAND, 10 TO 15 PERCENT SLOPES	Rumford	No	---	---	---	---	---

Hydric Soils List -- continued

Criteria codes and definitions may be obtained directly from the USDA-NRCS Hydric Soils Homepage at <http://www.statlab.iastate.edu/soils/hydric/intro.html>

There may be small areas of included soils or miscellaneous areas that are significant to use and management of the soil; yet are too small to delineate on the soil map at the map's original scale. These may be designated as spot symbols and are described on the conventional and special symbols legend.

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
SaA: SASSAFRAS SANDY LOAM, 0 TO 2 PERCENT SLOPES	Sassafras	No	---	---	---	---	---
SaB2: SASSAFRAS SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	Sassafras	No	---	---	---	---	---
SaC2: SASSAFRAS SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	Sassafras	No	---	---	---	---	---
SaC3: SASSAFRAS SANDY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	Sassafras	No	---	---	---	---	---
SaD2: SASSAFRAS SANDY LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	Sassafras	No	---	---	---	---	---
SaD3: SASSAFRAS SANDY LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	Sassafras	No	---	---	---	---	---
SfB2: SASSAFRAS FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	Sassafras	No	---	---	---	---	---
SgB2: SASSAFRAS GRAVELLY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	Sassafras	No	---	---	---	---	---
SgC2: SASSAFRAS GRAVELLY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	Sassafras	No	---	---	---	---	---
SgC3: SASSAFRAS GRAVELLY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	Sassafras	No	---	---	---	---	---
SgD3: SASSAFRAS GRAVELLY LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	Sassafras	No	---	---	---	---	---
SrE: SASSAFRAS AND AURA SOILS, 15 TO 40 PERCENT SLOPES	Aura	No	---	---	---	---	---
	Sassafras	No	---	---	---	---	---
St: STONY LAND	Stony Land	No	---	---	---	---	---
Tm:							

Hydric Soils List -- continued

Criteria codes and definitions may be obtained directly from the USDA-NRCS Hydric Soils Homepage at <http://www.statlab.iastate.edu/soils/hydric/intro.html>

There may be small areas of included soils or miscellaneous areas that are significant to use and management of the soil; yet are too small to delineate on the soil map at the map's original scale. These may be designated as spot symbols and are described on the conventional and special symbols legend.

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
Wa: WATCHUNG VERY STONY SILT LOAM	Watchung	Yes	flat	2B3	YES	NO	NO
WoA: WOODSTOWN SANDY LOAM, 0 TO 2 PERCENT SLOPES	Woodstown	No	---	---	---	---	---
WoB2: WOODSTOWN SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	Woodstown	No	---	---	---	---	---
WoC2: WOODSTOWN SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	Woodstown	No	---	---	---	---	---
WoC3: WOODSTOWN SANDY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	Woodstown	No	---	---	---	---	---
WoD: WOODSTOWN SANDY LOAM, 10 TO 15 PERCENT SLOPES	Woodstown	No	---	---	---	---	---
WsA: WOODSTOWN LOAM, 0 TO 2 PERCENT SLOPES	Woodstown	No	---	---	---	---	---
WsB2: WOODSTOWN LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	Woodstown	No	---	---	---	---	---

